

DEEP SUIT

Garage Account Cont'd.

Balance Bro't Forward

151 95

June 2 1 pt. Turpentine (Theatre)

25

2 1 gal. White Paint

5 00

2 1/2 gal. Red Paint

3 00

2 1 qt. Turpentine

4

2 1 qt. Linseed Oi

B. 2nd at. House Pain

290

8 1 qt. Lanseed Oil

60

9 1 pt. Paint

75


ance Due

165 50

se moquer de
urs, mainte-
sible à

"saliba y tierra"

hallaba encogido en el lustrero



DIANE KEYS & JOHN M. BENNETT
LUNA BISONTE PRODS 2014



scores for
performance artist
PARTY GAMES

Those holding the matching pieces become partners. Or the girl may draw the whole pictures, the boys the proper titles for them. This may be done with other objects, such as paper hearts and diff. ninguna. Y luego le tomé other objects, such as paper hearts and ciudad y todas las más ciu.



Scapula.
un recuerdo inrisib
en mi maleta se tiri

The Greatest Selling

forms a flat, narrow fasciculus, which the lower part of the neck, behind the tendinous; it then changes its direction in the anterior belly, which passes border of the Sterno-hyoid, to be

PULLING HEARTSTRINGS El Viajante

Hang a large hoop or pasteboard heart from the ceiling, with equal lengths of string hanging down each side. Each girl takes a string on one side; the boys, those on the other side. At a given

axillary sheath. (4) The pre-tracheal fascia, which extends inward in carotid vessels, and assists in forming the carotid sheath. It is found behind the depressor muscles of the hyoid bone, and, after enveloping the body, is prolonged in front of the trachea to meet the corresponding of the opposite side. Above, it is fixed to the hyoid bone, while below it downward in front of the trachea and large vessels at the root of the trachea, it timely blends with the fibrous pericardium.

regal Anatomy.—The cervical fascia is of considerable importance from a surgical view. As

(1) A superficial efficial layer in front of the trachea, which are vestment for seventh cervic

erion, curved like with elongated surface, the expansion of the tendoglossus, and under the occipital for some distal artery, l membrane.

erion, mediastinal muscle of the fasciades from the sternum, passing downward beneath the junction of the trachea and is connected with this layer.

yet (the surface above this layer, being situated toward the pectoral girdle, with the great vessels) equal and only the connection to the sternum, the second hyoid joint, which, and may be worth the tip of the Sterno-hyoid, ossified, and in many animals forms a distinct

the Sterno-mastoid muscle, which should be removed, in order to expose the next muscle. of the deeper muscle, situated immediately beneath the sternum and thinning out with its fellow of the opposite side, a avicle. Though. It arises from the whole length of the clavicle, which extends from the upper and anterior part of the sternum, and is directed upward, outward, and backward. The clavi

RLINES SYSTE

Received and entered with
Morcester, ss. 111 6 1914

pulmon
fluida
es liqua
o era
cita de
rca rur
un
abus
a
pilt
s





y
 y suit y
 y loop cluster y
 y choking on hair y
 y the shadow luggage steams y
 y coughing freedom drizzles spinach pool y
 y fake water clotted turned tezontle bowl y
 y fuel y

LÆ.

ge of the
 inserted i
 s muscle is
 occasional
 e in the lary
 no-hyoid, c
 upward, wi
 e the arter
 the larynx
 er, a relati
 On the le
 rearing like
 on the side
 ito the lowe
 no-hyoid
 cartilage,
 erve.
 ;, from

AMERICAN CONSULATE
 TORONTO, CANADA

Commonwealth

THK

320

appeared elle et me plaisait par un côté
 c'est-à-dire amour malheureux
 and ac'uscrit sur la face opposée du carac-
 est le genre aristocratique de Mme de
 le genre aristocratique, Albertine, stru
 Relations.—By its date
 Sterno-mastoid; by its po
 vena innominata can c
 the thyroid gland
 The inferior
 important t
 surface of the
 The Thyro-hy
 of the Sterno-thy
 cartilage, and pa
 body and great
 Relations.—
 muscles; by i
 membrane, and
 The Omo-hy

LUNA BISONTE PRODS